

Declaration of Performance



No 20130701CPR017

The undersigned RÉMI SCANO, as legal representative for the company L'ANTIC COLONIAL, S.A. located in Carretera N.340 Km. 55,8 12540 Villareal (Castellón) Spain, phone (+34) 964 53 45 45, fax (+34) 964 52 42 58, e-mail: anticcolonial@anticcolonial.com

Declares

Under his responsibility declares that the company L'ANTIC COLONIAL grants the CE Classification according to annex III of the Regulation (EU) N° 305/2011 (regulation on construction products):

Intended use as flooring or wall cladding, and for interior or exterior applications as per standard UNE EN 14411:2012

A system of assessment and verification of constancy of performance is established, being System 4

Dry-pressed ceramic tiles, with water absorption 0.5% > E, type 6

Characteristics	Regulation	Units	Value/Category	
Reaction to fire	EN 14411:2012	-	A1-A1fl	
Release of dangerous substances: - Cadmium - Lead - Others		-	NPD	
Breaking Strength		Newtons	>1300	
Slip resistance: Pendulum method according to ET CEN/TS 16165		Rd ≤ 15 (Class 0), 15 < Rd ≤ 35 (Class 1), 35 < Rd ≤ 45(Class 2) and Rd > 45 (Class 3)		Dry (Class 2) / Wet (Class 1)
Bond Strength (N/mm2)		Newtons/mm2	>1 with adhesive type C2	
Thermal shock resistance		-	Pass	
Durability for . Internal Use . External Use		-	Pass	
Tactility		-	NPD	

This declaration of performance is issued and signed on behalf of the company.

Signature:

Mr. Rémi Scano
Manager

Place and date of issue:

On July 2, 2018, Villareal (Castellón) - Spain